

FOR
ORGANIC
GARDENING

**Garden
Safe**[®]
Brand

MULTI-
PURPOSE

Garden INSECT KILLER₂

Insecticida multiusos para jardín₂

Kills 100+ Listed Insects on Contact



- ✔ Use up to Day of Harvest
- ✔ For Use On: Vegetables, Fruits, Ornamentals, Shrubs, Trees & Houseplants
- ✔ Fast-Acting

Active Ingredients: By Wt.
Pyrethrins 0.01%
Canola Oil 1.00%
Other Ingredients 98.99%
Total 100.00%
This product contains 0.0824 lb of canola
oil and 0.0008 lb of pyrethrins per gallon.

KEEP OUT OF REACH OF CHILDREN **MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**
CAUTION See back booklet for additional precautionary **PRECAUCIÓN** Consulte el folleto en la parte posterior para conocer las declaraciones
statements and directions for use. preventivas adicionales y el modo de empleen.
Net Contents 32 fl oz (1 qt / 946 mL)

17-17837

chinchas hediondas, trips (incluyendo trips de invernadero), moscas del vinagre, orugas tejedoras, gorgojos (incluyendo gorgojo de algodón, gorgojo de la zanahoria, gorgojo del trébol, gorgojo del arroz, gorgojo del chile), mosca blanca y filoxera.

SITIOS

HORTALIZAS Y HIERBAS: Espárrago, frijoles, brócoli, coles de Bruselas, col, coliflor, col rizada, verduras orientales, hierbas, lechuga, berenjena, pimientos, tomates, papas, pepinos, melones y calabacita.

FRUTAS Y NUECES: Manzanas, aguacates, cítricos (toronja, limones, naranjas, mandarinas, limas), duraznos, nectarinas, chabacanos, peras, almendras, nueces pacanas, nueces de nogal, kiwi, zarzamoras, moras rojas, frambuesas, fresas y uvas.

ÁRBOLES Y ARBUSTOS ORNAMENTALES: Azaleas, abedul, camelias, cornejo, acebo, rododendro, árboles de sombra y perennes. Consulte la sección **FITOTOXICIDAD** para ver las restricciones de uso adicionales.

FLORES: Ásteres, claveles, crisantemos, geranios, caléndulas, petunias y rosas.

INVERNADEROS: Plantas de flores y de follaje; hortalizas y frutas.

ESPACIOS INTERIORES: Plantas de interiores

USO LATENTE: Mata los huevos expuestos de insectos nocivos en temporada latente y los insectos nocivos en arbustos (rosas) y árboles frutales, de sombra y perennes en etapa latente.

ALMACENAMIENTO Y ELIMINACIÓN

No contamine el agua ni los alimentos para personas o animales por medio del almacenamiento o la eliminación.

ALMACENAMIENTO DEL PESTICIDA: Mantenga este producto en su envase original bien cerrado cuando no lo use. Guarde en un lugar fresco, seco (preferiblemente bajo llave) que no sea accesible a los niños ni a los animales.

ELIMINACIÓN DEL PESTICIDA: Los desechos que resulten del uso de este producto se pueden eliminar en el lugar o en un centro de eliminación de desechos aprobado.

MANEJO Y ELIMINACIÓN DEL ENVASE: Envase no rellenable. No vuelva a usar ni a rellenar este envase.

Si está vacío: Tirelo en la basura u ofrézcalo para reciclar, si existe esa opción.

Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

AVISO AL COMPRADOR • El Vendedor garantiza que este producto concuerda con la descripción química en esta etiqueta y que es razonablemente adecuado para los propósitos indicados en el Modo de empleo, sujeto a los riesgos inherentes antes descritos, cuando se usa de acuerdo con el Modo de empleo en condiciones normales. Hasta el grado que sea compatible con la legislación pertinente, esta garantía no se extiende al uso de este producto de una manera contraria a las indicaciones de la etiqueta o en condiciones de uso irregulares o en otras condiciones que el Vendedor no pueda prever razonablemente. Hasta el grado que sea compatible con la legislación pertinente, el Vendedor no será responsable por tales usos. Hasta el grado que sea compatible con la legislación pertinente, el Vendedor no ofrece ninguna otra garantía, expresa o implícita.

¿Preguntas o comentarios? Llame al 1-800-257-3379.



MULTI-PURPOSE

Garden

INSECT KILLER₂

Insecticida multiusos para jardín₂



Kills 100+ Listed Insects on Contact



For Use in Homes, Home Gardens & Home Greenhouses



Use up to Day of Harvest



Kills Aphids, Tomato Hornworms, Green Fruitworms & Other Listed Insect Pests

The Garden Safe® Guarantee - If for any reason you are not satisfied with this product, send proof of purchase to the address shown and we will gladly refund your purchase price.

NOTICE TO BUYER • Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

Questions or Comments? Call 1-800-257-3379 or visit our website at www.gardensafe.com

¿Preguntas o comentarios? Llame al 1-800-257-3379.

Distributed by Spectrum Group

Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 67702-35-8845 EPA Est. Nos. 9688-MO-1 (U), 58996-MO-1 (AE), 89964-GA-1 (E)

Circled letter is first letter of lot number. 17-17838

© 2021 United Industries Corporation. All Rights Reserved.

Manufactured under license of W. Neudorff GmbH KG, Germany.



Read entire container label before using this product. PEEL HERE
Lea toda la etiqueta del envase antes de usar este producto. ABRA AQUÍ

PROOF OF PURCHASE

FPO UPC

0 72845 93213 6

PRECAUTIONARY STATEMENTS

Environmental Hazards: This product is toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow the pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area.

Physical or Chemical Hazards: Combustible. Do not use or store near heat or open flame.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call 1-800-257-3379.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use only as directed. Shake well before each use.

Use Restrictions

- Do not make any applications during rain.
- Do not water the treated area to the point of runoff.
- Do not wet plants to point of runoff or drip.
- Do not allow adults, children or pets to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Remove pets and birds, and cover fish aquariums before spraying.

- Do not apply within 21 days of a sulfur application.
- Do not use Garden Safe® Brand Multi-Purpose Garden Insect Killer₂ when temperatures are above 90°F.
- Do not apply more than 10 times per season.
- Do not reapply within 3 days except under extreme pest pressure.
- Do not apply more than 1 time per day.
- In case of extreme pest pressure, do not reapply within 24 hours.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during application.
- Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food-processing equipment and food preparation surfaces, or wash them before use.
- Other than applications to building foundations, all applications to impervious surfaces, such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves), are limited to spot and crack-and-crevice applications only.
- To prevent product runoff, do not overwater treated areas or apply prior to heavy rainfall.

Phytotoxicity Note:

Oil removes the glaucous (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Apply carefully to blooms and buds and on oil-sensitive plants, such as Chamaecyparis, Cryptomeria, Japanese holly, red cedar and smoke tree. If concerned about sensitivity of plants, test by spraying a portion of the plant and wait several days to determine if burn occurs before spraying larger areas.

APPLICATION INSTRUCTIONS

Thoroughly wet all parts of the plants. Do not wet plants to point of runoff or drip. Repeat treatment in 1-2 weeks if needed. Do not apply more than 20 fl oz per 100 sq ft per application. May be used on edible crops up to and including day of harvest.

PESTS/SITES

Garden Safe® Brand Multi-Purpose Garden Insect Killer₂ kills exposed: adelgids, ants (including foraging ants, pavement ants, ghost ants and thief ants) (except fire ants, harvester ants, carpenter ants and pharaoh ants), aphids (including green peach aphids), armyworms (including beet army worms, Western yellow striped armyworms), bagworms, beetles (Colorado potato beetle, flea beetle, Japanese beetle, asparagus beetle, blister beetles, 12-spotted cucumber beetles, cucumber beetle, darkling beetles (lesser mealworm), saw-toothed grain beetles, elm leaf beetles, bean beetles, Mexican bean beetles), borers (including European corn borer, branch and twig borers, shot hole borers and Pacific flathead borers), box elder bugs, cabbageworms (including cross-striped cabbageworm and imported cabbageworm), cankerworms, caterpillars (gypsy moth caterpillars, tent caterpillar, Eastern tent caterpillar, forest tent caterpillar and tomato fruitworm caterpillar), corn earworms, crane flies, crickets, diamondback moth larvae, earwigs, fireworms, fungus gnats, fruit flies (including cherry fruit fly), glassy winged sharpshooter, grape leaf skeletonizer, grasshoppers, green fruit worm, harlequin bugs, hornworms (including tomato hornworm), Katydid, lace bugs, leafhoppers (including grape leafhopper and potato leafhoppers), leafminers, leafrollers (including fruittree leafrollers), leaf tiers, loopers (including cabbage looper), lygus, maggots (including apple maggot, cabbage maggots and onion maggot), mealybugs (including citrus mealybugs, grape mealybugs and vine mealybugs), midges, millipedes, mites (including clover mites, European red mite and spider mites), moths (including artichoke plume moth, codling moth, diamondback moth, European pine tip moth, gypsy moths, Indian meal moth, Mediterranean flour moth), mushroom flies, navel orangeworm, plant bugs (including leaf footed plant bug, tarnished plant bug), psyllids (including pear psyllids), sawfly larvae (pear and rose slugs), scale insects (including soft scale and armoured scale), silverfish, skippers, sowbugs, spittlebugs, squash bugs, stink bugs, thrips (including greenhouse thrips), vinegar flies, webworms, weevils (including boll weevil, carrot weevil, clover weevil, rice weevil, pepper weevil), whitefly and Phylloxera.

SITES

VEGETABLES AND HERBS: Asparagus, beans, broccoli, Brussels sprouts, cabbage, cauliflower, kale, Oriental vegetables, herbs, lettuce, eggplant, peppers, tomatoes, potatoes, cucumbers, melons and squash.

FRUITS AND NUTS: Apples, avocados, citrus (grapefruit, lemons, oranges, tangerines, limes), peaches, nectarines, apricots, pears, almonds, pecans, walnuts, kiwi fruit, blackberries, loganberries, raspberries, strawberries and grapes.

ORNAMENTAL TREES AND SHRUBS: Azaleas, birch, camellias, dogwood, holly, rhododendrons, evergreens and shade trees. See **PHYTOTOXICITY** section for additional use restrictions.

FLOWERS: Asters, carnations, chrysanthemums, geraniums, marigolds, petunias and roses.

GREENHOUSES: Flowering and foliage plants; vegetables and fruits.

INDOORS: Houseplants

DORMANT USE: Kills exposed egg stages of pests present in dormant season and pests on dormant shrubs (roses), evergreens, fruit trees and shade trees.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER HANDLING & DISPOSAL: Nonrefillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

DECLARACIONES PREVENTIVAS

Riesgos para el medio ambiente: Este producto es tóxico para los organismos acuáticos, incluyendo los peces y los invertebrados. Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por drenajes pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipe lluvia en las siguientes 24 horas ayudará a asegurar que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento. Enjuagar el equipo de aplicación encima de la zona tratada ayudará a evitar el escurrimiento a masas de agua o sistemas de drenaje.

Este producto es sumamente tóxico para las abejas expuestas al tratamiento directo en las malezas o los cultivos en flor. No aplique este producto ni permita que pase a los cultivos o malezas en flor en caso que haya abejas volando por la zona.

Riesgos físicos o químicos: Combustible. No lo use ni guarde cerca de una fuente de calor ni del fuego.

NÚMERO DE LA LÍNEA DIRECTA

Cuando llame a un centro de control de envenenamiento, o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. Para obtener información de emergencia relacionada con este producto, llame al 1-800-257-3379.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

Lea toda la etiqueta. Use únicamente como se indica. Agite bien antes de cada uso.

Restricciones de uso

- No realice aplicaciones durante lluvias.
- No riegue la zona tratada hasta el punto de escurrimiento.
- No moje las plantas hasta el punto de escurrimiento o goteo.
- No permita que los adultos, los niños ni las mascotas entren en la zona tratada hasta que los rocíos se hayan secado.
- No aplique este producto de modo que entre en contacto con adultos, niños o mascotas, ya sea directamente o por arrastre.
- Antes de rociar, retire las mascotas y las aves, y cubra las peceras.
- No lo aplique en un plazo de 21 días de una aplicación de sulfuro.
- No use el Insecticida multiusos para jardín, marca Garden Safe® cuando las temperaturas sean superiores a los 90°F.
- No aplique más de 10 veces por temporada.
- No repita la aplicación en un plazo de 3 días salvo en casos extremos de plagas.
- No aplique más de 1 vez al día.
- En casos extremos de plagas, no repita la aplicación en un plazo de 24 horas.
- No lo aplique directamente a alcantarillas o drenajes, así como a cualquier zona similar a una cuneta en la que pueda producirse el drenaje a alcantarillas, masas de agua o hábitats acuáticos. No permita que el producto entre en ningún drenaje durante la aplicación.
- Retire o cubra los alimentos y el agua potable expuestos antes de la aplicación. Retire o cubra platos, utensilios, superficies y equipos de preparación de alimentos o lávelos antes de usar.

- Aparte de las aplicaciones a los cimientos de edificios, todas las aplicaciones a superficies impermeables como aceras, caminos de entrada de automóviles, patios, porches y superficies estructurales (como ventanas, puertas y aleros) se limitan a aplicaciones localizadas y para el tratamiento de grietas y rajaduras exclusivamente.
- Para evitar el escurrimiento del producto, no riegue en exceso las zonas tratadas ni lo aplique cuando se espere lluvia fuerte.

Nota de fitotoxicidad:

El aceite quita la floración glauca (azul) de los árboles perennes como la picea azul de Colorado y la picea Koster. Aplíquelo con cuidado a flores y brotes y a las plantas sensibles al aceite, tales como Chamaecyparis, Cryptomeria, acebo japonés, cedro rojo y árbol de humo. Si le preocupa la sensibilidad de las plantas, haga una prueba rociando una parte de la planta y espere varios días para determinar si se producen quemaduras antes de rociar en áreas más grandes.

INSTRUCCIONES DE APLICACIÓN

Moje bien todas las partes de la planta. No moje las plantas hasta el punto de escurrimiento o goteo. Repita el tratamiento en 1 o 2 semanas si es necesario. No aplique más de 20 onzas líquidas por 100 pies cuadrados por aplicación. Se puede usar en cultivos comestibles hasta el mismo día de la cosecha.

PLAGAS/SITIOS

El Insecticida multiusos para jardín, marca Garden Safe® mata a los siguientes insectos expuestos: adélgidos, hormigas (incluyendo hormigas que buscan alimento, hormigas del pavimento, hormigas fantasma y hormigas ladronas) (excepto hormigas bravas, hormigas cosechadoras, hormigas carpinteras y hormigas faraonas), áfidos (incluyendo pulgones verdes del duraznero), gusanos soldados (incluyendo gusanos soldados del betabel, gusanos soldados de rayas amarillas del oeste), gusanos del saco, escarabajos (escarabajo de la papa de Colorado, crisomélidos, escarabajo japonés, escarabajo de los espárragos, meloides, escarabajos de 12 puntos del pepino, escarabajo del pepino, tenebriónidos (gusano de la harina), carcomas dentadas, escarabajos de la hoja del olmo, escarabajos del frijol, escarabajos del frijol mexicano), barrenadores (incluyendo barrenador europeo del maíz, barrenadores de ramas y ramitas, barrenadores de hoyos y barrenadores de cabeza plana del Pacífico), insectos del arce, gusanos de la col (incluyendo gusano de la col de rayas cruzadas y gusano importado de la col), orugas ulcerosas, orugas (orugas de la polilla gitana, gusanos tenderos, gusanos tenderos del este, gusanos tenderos del bosque y gusanos del fruto del tomate), isoca del maíz, tijulas, grillos, larvas de polilla de la col, tijeretas, gusano de fuego, mosquito del hongo, moscas de la fruta (incluyendo mosca de la cereza), chicharrita de alas cristalinas, defoliador de la uva, saltamontes, gusano verde del fruto, chinches arlequín, gusanos cornudos (incluyendo gusano cornudo del tomate), tetigónidos (katydid), chinches de encaje, saltarillas (incluyendo saltarilla de la uva y saltarillas de la papa), gusanos minadores, gusanos enrolladores (incluyendo enrolladores de árboles frutales), orugas desfoliadoras, medidores (incluyendo medidor de la col), lygus, gusanos (incluyendo gusano de la manzana, gusanos de la col y gusano de la cebolla), cochinillas harinosas (incluyendo cochinillas harinosas de cítricos, cochinillas harinosas de la uva y de la vid), jejenes, milpiés, ácaros (incluyendo ácaros del trébol, ácaros rojos europeos y ácaros tetraníquidos), polillas (incluyendo polilla Pterophoridae de la alcachofa, polilla del manzano, polilla de la col, polilla del pino europeo, polillas gitanas, polilla de la harina de India, polilla mediterránea de la harina), mosca de la setas, gusano de la naranja, insectos de plantas (incluyendo insecto patas de hoja, insecto de plantas deslustrado), psílidos (incluyendo psílidos de la pera), larvas de insectos voladores (babosas de peral y de rosa), cochinillas (incluyendo de escama blanda y de escudo), lepismas, panteoneras, cochinillas de la humedad, cigarrillas, insectos de la calabaza,

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. • **PESTICIDE STORAGE:** Keep this product in its tightly closed original container, when not in use. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. • **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility. • **CONTAINER HANDLING & DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. • **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Environmental Hazards: This product is toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow the pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area.

Physical or Chemical Hazards: Combustible. Do not use or store near heat or open flame.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call 1-800-257-3379.

NOTICE TO BUYER • Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions. To the extent consistent with applicable law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller. To the extent consistent with applicable law, the Seller shall not be liable for any such use. To the extent consistent with applicable law, the Seller makes no other warranties, either expressed or implied.

Questions or Comments? Call 1-800-257-3379 or visit our website at www.gardensafe.com

Distributed by Spectrum Group

Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 67702-35-8845 EPA Est. Nos. 9688-MO-1 (U), 58996-MO-1 (AE), 89964-GA-1 (E)

Circled letter is first letter of lot number. 17-17838 © 2021 United Industries Corporation. All Rights Reserved.