

Conforms to Hazard Communication Standard 29 CFR 1910.1200

Section 1 - IDENTIFICATION

Product Identifier: Repel® Insect Repellent Family Pump Spray

Other Means of Identification:

Product Code HG-94269
Formula Number 21-1747
EPA Reg. Number 70759-3-305

Recommended Use: Insect Repellent - Non-Aerosol

Recommended Restrictions: Use in accordance with label directions

Manufacturer/Importer/Supplier/Distributor Information:

Company Name WPC Brands, Inc.
Address PO Box 4406, Bridgeton, MO 63044-0406
Telephone Number 1-888-880-1181

Emergency Telephone Number:

CHEMTREC (800)424-9300
Medical (800)633-2873

Section 2 - HAZARD(S) IDENTIFICATION

Classification of Substance or Mixture:

Physical Hazard(s) Flammable Liquid - Category 3
Health Hazard(s) Eye Irritation - Category 2A

Label Elements:

Hazard Pictogram(s)



Signal Word

Warning

Hazard Statements:

Flammable liquid and vapor
Causes serious eye irritation

Precautionary Statements:

Keep away from heat, sparks, open flames, and hot surfaces. - No smoking.
Do not breathe dusts or mists. Wash hands thoroughly after handling. Wear protective gloves.

Hazard(s) not Otherwise Classified (HNOC): No additional information available

Supplemental Information: None

Section 3 - COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | Synonyms | CAS Number | % |
|------------------------------------|----------|--------------|--------|
| ethanol | n/a | 64-17-5 | ≤30-50 |
| ethyl N-acetyl-N-butyl-β-alaninate | n/a | 52304-36-6 | ≤19-21 |
| Component 10044 | | Not Assigned | ≤5-10% |

In accordance with paragraph (d) of 1910.1200, the exact percentage (concentration) has been withheld as a trade secret. Other components are below reportable levels.

Section 4 - FIRST-AID MEASURES

| | |
|--|--|
| Inhalation: | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. |
| Skin Contact: | If skin irritation or redness develops, wash skin with plenty of water and seek medical attention. |
| Eye Contact: | In case of contact, flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention. |
| Ingestion: | If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention. |
| Most Important Symptoms/Effects, Acute and Delayed: | Symptoms of exposure may include, irritation of eyes and nose, cough and/or shortness of breath. |
| Indication of Immediate Medical Attention & Special Treatment Needed: | Immediate medical attention should not be required. |

Section 5 - FIRE-FIGHTING MEASURES

Emergency Response Guide 127

| | |
|---|---|
| Suitable Extinguishing Media: | Dry chemical, CO ₂ , water spray or alcohol-resistant foam. CAUTION: For fire involving alcohol or polar solvent, alcohol-resistant foam should be used. |
| Unsuitable Extinguishing Media: | CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. |
| Special Protective Equipment and Precautions for Firefighters: | Keep upwind of fire. Inhalation or contact with material may irritate or burn skin and eyes. Fire may produce irritating, corrosive and/or toxic gases. Vapors may cause dizziness or suffocation. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection. |
| In Case of Large Fire: | Water spray, fog or alcohol-resistant foam. Do not use straight streams. Move containers from fire area if you can do it without risk. |
| Potential Hazards: | HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water. |

Section 6 - ACCIDENTAL RELEASE MEASURES

| | |
|---|--|
| Personal Precautions, Protective Equipment and Emergency Procedures: | Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. |
|---|--|

Methods and Materials for Containment and Cleaning Up: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor-suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Use clean, non-sparking tools to collect absorbed material. **Large Spill:** Dike far ahead of liquid spill for later disposal. Water spray may reduce vapor, but may not prevent ignition in closed spaces.

Environmental Precautions: Report spills as required by local and national regulations. Prevent entry into storm sewers and waterways.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling: Avoid breathing mist. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Conditions for Safe Storage, Including any Incompatibilities: Keep out of reach of children. Keep container tightly closed. (See section 10). Store in a well-ventilated place. Keep cool.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters:

| Chemical Name | Exposure Limits | | | | | |
|-----------------|-----------------|-------------------|-----------|-------------------|--------------|-------------------|
| | OSHA PEL | | ACGIH TLV | | Supplier OEL | |
| | ppm | mg/m ³ | ppm | mg/m ³ | ppm | mg/m ³ |
| Ethanol | TWA 1000 | TWA 1900 | STEL 1000 | - | - | - |
| Component 10044 | - | - | - | - | - | TWA 10 (Aerosol) |

Appropriate Engineering Controls: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual Protective Measures, Such as Personal Protective Equipment:

Eye/face protection: None required for normal use. Avoid eye contact.

Skin and body protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products.

Respiratory protection: None required under normal use conditions.

General hygiene considerations: Do not eat, drink or smoke where material is handled, processed or stored. Wash hands after handling. Change contaminated clothing. Wash hands after working

Protective measures: Flame retardant antistatic protective clothing.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--|---|
| Appearance (physical state, color, etc.): | Clear, colorless liquid |
| Odor: | weak ethanolic |
| Odor Threshold: | No data available |
| pH: | 5 at 68 °F (20 °C) |
| Melting / Freezing Point: | No data available |
| Initial boiling point and range: | No data available |
| Flashpoint: | 83.7 °F (28.7 °C) |
| Evaporation Rate: | No data available |
| Flammability (solid, gas): | No data available |
| Upper/lower flammability or explosive limits: | No data available |
| Vapor pressure: | No data available |
| Vapor density: | No data available |
| Relative density: | 0.951 g/cm ³ at 68 °F (20 °C) |
| Solubility(ies): | Not determined |
| Partition coefficient (n-octanol/water): | No data available |
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| Viscosity: | 6.80 mPasat 68 °F (20 °C)Method: OECD Test Guideline 114 3.46 mPasat 104 °F (40 °C)Method: OECD Test Guideline 114 |
| Explosive Properties: | Not Classified as explosive |
| Oxidizing properties: | None |

Section 10 - STABILITY AND REACTIVITY

| | |
|--|---|
| Reactivity: | Vapor/air-mixtures are explosive at intense warming. The product is chemically stable under standard ambient conditions (room temperature) . |
| Chemical stability: | |
| Possibility of hazardous reactions: | Violent reactions possible with: Strong oxidizing agents |
| Conditions to avoid: | Heat. Incompatible materials. |
| Incompatible materials: | None known. |
| Hazardous decomposition products: | In the event of fire: See section 5. |

Section 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure: Skin or eye contact, inhalation & ingestion.

Symptoms related to the physical, chemical and toxicological characteristics:

| | |
|-------------|--|
| Inhalation: | May cause respiratory tract irritation. |
| Ingestion: | May be harmful if swallowed. May cause stomach distress, nausea or vomiting. |

Skin contact: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Eye contact: Can cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Acute Toxicity Values for Ethanol:

| Chemical Acute Toxicity Values (ATE) | | |
|--------------------------------------|---------------|-------------------|
| LD50 (Oral) | LD50 (Dermal) | LC50 (inhalation) |
| 10,470 mg/kg | >15,800 mg/kg | 124.7 mg/l |

Acute Toxicity Values for ethyl N-acetyl-N-butyl-β-alaninate:

| Chemical Acute Toxicity Values (ATE) | | |
|--------------------------------------|---------------|------------------------|
| LD50 (Oral) | LD50 (Dermal) | LC50 (inhalation) |
| 14,000 mg/kg | >10,000 mg/kg | >5.1mg/l; 4hr; aerosol |

Acute Toxicity Values for Component 10044

| Chemical Acute Toxicity Values (ATE) | | |
|--------------------------------------|---------------|-------------------|
| LD50 (Oral) | LD50 (Dermal) | LC50 (inhalation) |
| >2000 mg/kg | >2000 mg/kg | No Data |

Eye Contact: Based on available data, this mixture causes serious eye irritation.

Skin Contact: Based on available data, the classification criteria are not met.

Sensitization: Based on available data, the classification criteria are not met.

Chronic Effects-Carcinogenicity:

| Ingredient | Chemical Listed as a Carcinogen or Potential Carcinogen (NTP, IARC, OSHA) |
|------------|---|
| | <p>IARC: Group 1 Carcinogen - Ethanol; 64-17-5</p> <p>OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.</p> <p>NTP: No component of this product present at levels greater than or equal to 0.1% is on NTP's list of regulated carcinogens.</p> |

Reproductive Toxicity: Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Comment: All information was generated using the GHS classification criteria for mixtures and test data where available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity: This product is not expected to be harmful to aquatic organisms.

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

Other adverse effects: Surface tension: 29.58 mN/m at 68°F (20°C)

Section 13 - DISPOSAL CONSIDERATIONS

Dispose of in accordance with all local, state/provincial and federal regulations. For more information see product label.

Section 14 - TRANSPORTATION INFORMATION

| | | |
|--------------|-----------------------|-------------------|
| DOT: | UN Number: | UN1170 |
| | Proper Shipping Name: | Ethanol solutions |
| | Hazard Class: | 3 |
| | Packing Group: | III |
| | Limited Quantity: | ≤5L |
| IATA: | UN Number: | UN1170 |
| | Proper Shipping Name: | Ethanol solutions |
| | Hazard Class: | 3 |
| | Packing Group: | III |
| | Limited Quantity: | ≤5L |
| IMDG: | UN Number: | UN1170 |
| | Proper Shipping Name: | Ethanol solutions |
| | Hazard Class: | 3 |
| | Packing Group: | III |
| | Limited Quantity: | ≤5L |
| | Marine Pollutant: | No |
| Flash Point: | 83.7 °F (28.7 °C) | |

Section 15 - REGULATORY INFORMATION

FIFRA Labeling for EPA Registered Products

US EPA Label Information:

EPA Pesticide Registration Number 70759-3-305

Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subjected to certain labeling requirements under the federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

WARNING: KEEP OUT OF REACH OF CHILDREN.

Hazards to Humans

WARNING. For external use only. Causes substantial but temporary eye injury. Do not get in eyes. Do not spray on face. Discontinue use and consult a doctor if irritation or rash occurs.

FIRST AID: If in eyes: • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice. • Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. • For information on this pesticide

product, call 1-888-880-1181.

Storage: Store in cool dry place away from heat or flame.

Disposal: If Empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency or call 1-888-880-1181 for disposal instructions. Never place unused product down any indoor or outdoor drain.

| | |
|---|--|
| EPA TSCA Inventory: | All of the components of this product are either on the Toxic Substances Control Act (TSCA) Inventory List or exempt. |
| CERCLA Section 103: | This material does not contain any components with a CERCLA RQ. |
| SARA Hazard Category (311/312): | See OSHA hazards listed in section 2. |
| SARA 313: | Section 313 of title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. |
| California Safe Drinking Water and Toxic Enforcement Act (Proposition 65): | This product does not contain chemicals regulated under California Proposition 65. |

Disclaimer: Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Section 16 - OTHER INFORMATION

Issue date: August 24, 2023
Revision date: August 24, 2023
Version number: 1.0, Initial